

Katalog/Catalogue
Nove kolekcije/New collections



(April 2018)



*#PoletKeramika s pažnjom
oblikuje sirove materijale u prefinjene
elemente dizajna. Od prašine,
kamena i zemlje
do Vašeg ličnog prostora.
#PoletKeramika is committed to
transform raw materials into precious
and elegant design elements. From
dust and gres, from the earth
to your personal spaces.*

O nama

Priča o kolektivu, koji se danas citira kao reper kvaliteta kada je reč o branši proizvođača crepa, cigli i keramičkih pločica počinje još davne 1869. godine, kada je Vagner Andraš u Vranjevu (današnji Novi Bečej) podigao prvu ciglanu u ovom kraju. Međutim, današnja moderna fabrika izrasla je na temeljima one koju je 1907. godine podigao Vagner Istvan, i u kojoj su, po prvi put u Novom Bečeju proradile prve prese na parni pogon. Petnaest godina kasnije fabriku otkupljuju tada čuvana braća Bon, vlasnici više fabrika cigle i crepa u Srednjoj Evropi. Nakon Drugog svetskog rata ovaj pogon dobija ime koje i danas nosi - Polet. 1980. godine Polet otvara Fabriku keramičkih pločica. Danas Polet keramika posluje u okviru poslovnog sistema Nexe grupe, giganta u regionu u proizvodnji i distribuciji građevinskog materijala, pod brendom Nexe keramike. Polet keramika Vam predstavlja u svom katalogu dekorativna rešenja za pokrivanje površina zidova i podova koja što osim toga što omogućavaju ispoljavanje sopstvenog stila u enterijeru i eksterijeru doprinose i boljem kvalitetu života. U našem radu i razvoju proizvoda primenom inovativnih tehnologija kao i materijala eminentnih španskih i italijanskih proizvođača, pratimo potrebe stručnjaka iz sveta arhitekture i građevinarstva, pružajući im slobodu u kreiranju mnoštvom različitih formata, tekstura, reljefa, sa pažljivo odabranim spektrom neutralnih i harmoničnih boja i tonova. Naša keramika je večna. Upravo zbog toga kolekcije koje stvaramo predstavljaju fuziju tradicije i mode, čineći prostore elegantnim, sofisticiranim i savremenim. Naša inspiracija je uravnotežena lepota prirode, te zbog toga transformišemo teksture drveta, mermera, kamena i metala u keramičke materijale sa superiornim tehničkim i estetskim karakteristikama.

About us

Story about the collective, which is now cited as a benchmark when it comes to the industry of manufacturers of roof tiles, bricks and tiles starts back in 1869, when Vagner Andras in Vranjevo (today Novi Becej) built the first brick factory in this part of Europe. However, today's modern factory has grown on the foundations of the one in 1907. built by Vagner Istvan, and which, for the first time in Novi Becej worked with steam-powered presses. Fifteen years later, the factory was bought by Bon brothers, owners of a few brick and tile factories in Central Europe. After the Second World War, this plant gets its name, which still bears - Polet. In 1980. Polet opens plant for production of ceramic tiles - Polet keramika. Today, Polet keramika operates within business system of Nexe group, giant in the region for the production and distribution of building materials, under the brand of Nexe keramika. Polet keramika present in this catalog decorative solutions for wall and floor coverings which are allowing you to express your own style in the interior and exterior design, and contribute to a better quality of life. In our work and product development we are using innovative technologies and materials of eminent Spanish and Italian manufacturers, we follow the needs of professionals from the world of architecture and engineering, giving them the freedom by creating a variety of different formats, textures, reliefs, with carefully selected range of neutral and harmonious colours and tones. Our ceramic tiles eternal. Because of that collections that we create are fusion of tradition and trends, making spaces elegant, sophisticated and modern. Our inspiration is balanced beauty of nature, therefore we transform the texture of wood, marble, stone and metal to ceramic materials with superior technical and aesthetic characteristics.

(sadržaj/contents)

zidne pločice/wall tiles

25/50	s/p	25/40	s/p
<i>carrara</i>	01/02	<i>barcelona</i>	33/34
<i>forever</i>	03/04	<i>bilbao</i>	35/36
<i>india</i>	05/06	<i>elegante</i>	37/38
<i>marbella</i>	07/08	<i>emperador</i>	39/40
<i>metropolitan</i>	09/10	<i>garden</i>	41/42
<i>nordic</i>	11/12	<i>laguna</i>	43/44
<i>palermo</i>	13/14	<i>mermer</i>	45/46
<i>persia</i>	15/16		
<i>real</i>	17/18		
<i>verona</i>	19/20		
<i>architecto</i>	21/22		
<i>jazz</i>	23/24		
<i>studio</i>	25/26		
<i>urban</i>	27/28		
<i>agora</i>	29/30		
<i>vavilon</i>	31/32		

Simboli/Symbols:



Zidna pločica / Wall tile



Mat površina / Matt surface



Otpornost na niske temperature /
Low temperature resistance



Podna pločica / Floor tile



Sjajna površina / Glossy surface



Protivkliznost / Anti - slip

podne pločice/floor tiles

40/40	s/p	33/33	s/p
<i>forever</i>	03/04	<i>architecto</i>	21/22
<i>galaxy</i>	47/48	<i>barcelona</i>	33/34
<i>nordic</i>	11/12	<i>bilbao</i>	35/36
<i>studio</i>	25/26	<i>carrara</i>	01/02
<i>cement</i>	49/50	<i>dolomite</i>	59/60
<i>concreto</i>	51/52	<i>elegante</i>	37/38
<i>madera</i>	53/54	<i>emperador</i>	39/40
<i>piedro</i>	55/56	<i>garden</i>	41/42
<i>terazzo</i>	57/58	<i>india</i>	05/06
		<i>legno</i>	61/62
		<i>mermer</i>	45/46
		<i>palermo</i>	13/14
		<i>peggy</i>	63/64
		<i>persia</i>	15/16
		<i>real</i>	17/18
		<i>tavola</i>	65/66
		<i>urban</i>	27/28
		<i>verona</i>	19/20
		<i>laguna</i>	43/44



Otpornost na habanje /
Resistance to abrasion



Otpornost na mrlje / Easy to clean



Otpornost na hemikalije u domaćinstvu /

Resistance to household chemicals

Otpornost na jake kiseline /

Resistance to strong acids



Broj lica (digitalna štampa) /

Number of faces (inkjet technology)

(carrara)

25/50



1



flores orange

1



flores violet

1



decor

7



bianco

33/33



7



bianco





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
✋ zp/wt	250x500	14	1,75	27	39	68,25	1053
👣 pp/ft	330x330	15	1,63	28	40	65,2	1120

(forever)


25/50



decor



ivory



gold




graffit

40/40



gold



graffit





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 zp/wt	250x500	14	1,75	27	39	68,25	1053
 pp/ft	400x400	10	1,6	30	48	76,8	1440

(india)

07/50

25/50

b 10





10

50

80


90






							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 zp/wt	250x500	14	1,75	27	39	68,25	1053
 pp/ft	330x330	15	1,63	28	40	65,2	1120


 33/33



india rp 50



india rp 80



india rp 90

(marbella)

25/50



flores



decor



isla



mar

33/33



mar





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
✋ zp/wt	250x500	14	1,75	27	39	68,25	1053
👉 pp/ft	330x330	15	1,63	28	40	65,2	1120

(metropolitan)

25/50

S

+

CA

CHA

3




bianco decor

3




bianco

3



terra decor

3



terra

3



graffit decor

3



graffit





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 zp/wt	250x500	14	1,75	27	39	68,25	1053

(nordic)

25/50

S

+

Ga

Gra

6



wood

6




white

6



walnut

6



gray

40/40

M

FEI

+

Ga

Gra

5



walnut

5



gray







							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 zp/wt	250x500	14	1,75	27	39	68,25	1053
 pp/ft	400x400	10	1,6	30	48	76,8	1440

(palermo)


25/50



fiore



mosaico



crema



cappuccino



cappuccino





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 zp/wt	250x500	14	1,75	27	39	68,25	1053
 pp/ft	330x330	15	1,63	28	40	65,2	1120

(persia)

25/50

S

+

Ga


Gra

1



fiore

1



mosaico

4



bianco

4



fumo

33/33

M

FEI

+

Ga

Gra

5



fumo





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 zp/wt	250x500	14	1,75	27	39	68,25	1053
 pp/ft	330x330	15	1,63	28	40	65,2	1120

(real)

25/50



1



flores

1



decor

5



dia

5



noce

33/33



7



noce





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
✋ zp/wt	250x500	14	1,75	27	39	68,25	1053
👉 pp/ft	330x330	15	1,63	28	40	65,2	1120

(verona)

25/50



1



fiore

1



mosaico

5



chiaro

5



bruno

33/33



5



bruno





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 zp/wt	250x500	14	1,75	27	39	68,25	1053
 pp/ft	330x330	15	1,63	28	40	65,2	1120

(architecto)

25/50




1

linea



1

mosaico




2

cemento



2

33/33



2

grigio





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 zp/wt	250x500	14	1,75	27	39	68,25	1053
 pp/ft	330x330	15	1,63	28	40	65,2	1120

(jazz)

25/50

M

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

marengo

moka



							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 zp/wt	250x500	14	1,75	27	39	68,25	1053

(studio)

25/50

M

PSI

SA


CHA

4




decor

6



natural

6



sand

40/40


M

PSI

SA

CHA

7



sand





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 zp/wt	250x500	14	1,75	27	39	68,25	1053
 pp/ft	400x400	10	1,6	30	48	76,8	1440

(urban)

6/50



25/50


b 119



city




119



33/33

r 119



grey




25/50



pebbles

r 10



r 17



r 70




r 40

33/33



rp70



rp40

							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 zp/wt	250x500	14	1,75	27	39	68,25	1053
 pp/ft	330x330	15	1,63	28	40	65,2	1120



(agora)

25/50

M

+

+

+

+

+

4



beige

4



grey





dimension(mm)



komada/pieces

m2/sqm

kg



kutija/boxes

m2/sqm

kg



zp/wt

250x500

14

1,75

27

39

68,25

1053

(vavilon)

25/50

M

SA

CH

4



grigio





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 zp/wt	250x500	14	1,75	27	39	68,25	1053

(barcelona)

25/40



1




decor

4



chiaro

4



fango

4



grey

33/33



4



fango

4



grey





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 zp/wt	250x400	18	1,8	26	39	70,2	1014
 pp/ft	330x330	15	1,63	28	40	65,2	1120

(bilbao)


25/40



decor



chiaro



moka

33/33



chiaro



moka





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 zp/wt	250x400	18	1,8	26	39	70,2	1014
 pp/ft	330x330	15	1,63	28	40	65,2	1120

(elegante)

25/40


S

1

SA

CH

1



flores

1



decor

5



marfil

5



crema

33/33

M

1

SA

CH

SA

CH

5



crema



							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 zp/wt	250x400	18	1,8	26	39	70,2	1014
 pp/ft	330x330	15	1,63	28	40	65,2	1120

(emperador)

25/40



1




decor

4



perla

4



moka

4



grey

33/33




4



moka

4



grey





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 zp/wt	250x400	18	1,8	26	39	70,2	1014
 pp/ft	330x330	15	1,63	28	40	65,2	1120

(garden)


25/40



1



mosaico



10



70




90



60





dimension(mm)



komada/pieces

m2/sqm

kg



kutija/boxes

m2/sqm

kg



zp/wt

250x400

18

1,8

26

39

70,2

1014



pp/ft

330x330

15

1,63


28

40

65,2

1120

33/33



garden rp 10



garden rp 70



garden rp 90

(laguna)

25/05



ola 119



ola c



50/02


ola 70




ola 50

25/40


ola 80



10



90



80





dimension(mm)



komada/pieces

m2/sqm

kg



kutija/boxes

m2/sqm

kg



zp/wt

250x400

18

1,8

26

39

70,2

1014



pp/ft

330x330

15

1,63


28

40

65,2

1120


33/33



laguna rp 10



laguna rp 90



laguna rp 80

(mermer)

40/07



b 117




25/40

b 119



mz 117



mz 119




107



109



117




119





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 zp/wt	250x400	18	1,8	26	39	70,2	1014
 pp/ft	330x330	15	1,63	28	40	65,2	1120

 33/33



mermer dp 117



mermer dp 119

(galaxy)

40/40

M

+

✖

☀

🔬

🔬

6



white





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 pp/ft	400x400	10	1,6	30	48	76,8	1440

(cement)

40/40

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

M

grey

crema







								
	dimension(mm)	komada/pieces	m2/sqm	kg		kutija/boxes	m2/sqm	kg
 pp/ft	400x400	10	1,6	30		48	76,8	1440

(concreto)


40/40




terra decor



terra



plata decor



plata





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 pp/ft	400x400	10	1,6	30	48	76,8	1440

(madera)

40/40



4



natural

4



bianco

4



moka





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 pp/ft	400x400	10	1,6	30	48	76,8	1440

(piedro)

40/40



4



beige

4



colorido

4



grey






							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 pp/ft	400x400	10	1,6	30	48	76,8	1440

(terazzo)


40/40



perla



gris





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 pp/ft	400x400	10	1,6	30	48	76,8	1440

(dolomite)

33/33



caldo



freddo





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 pp/ft	330x330	15	1,63	28	40	65,2	1120

(legno)

33/33

M

4

4

4

4

4



127



197



177





							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 pp/ft	330x330	15	1,63	28	40	65,2	1120

(pegy)

33/33



rp 119



rp 199







	dimension(mm)		komada/pieces	m2/sqm	kg		kutija/boxes	m2/sqm	kg
	pp/ft								
	330x330		15	1,63	28		40	65,2	1120

(tavola)

33/33



faggio



noce






							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 pp/ft	330x330	15	1,63	28	40	65,2	1120

ZAHTEVI, MERE I KVALITET POVRŠINE REQUIREMENTS DIMENSIONS AND SURFACE QUALITY	ZAHTEVANE VREDNOSTI REQUIREMENTS	METODA ISPITIVANJA TESTING METHOD
Dužina (l) i širina (w) / Length (l) and width (w)		
Proizvođač određuje radnu veličinu prema sledećem: za nemodularne pločice tako da razlika između radne veličine i nazivne veličine ne bude veća od +/- 2mm The manufacturer shall choose the work size as follows: for non-modular tiles so that the difference between the work size and nominal size is not more than +/- 2mm		
Odstupanje prosečne veličine svake pločice (2 ili 4 strane) od radne veličine (W), u % The deviation, in percent, of average size for each tile (2 or 4 sides) from the work size (W)	+/- 0,5%	
Odstupanje prosečne veličin svake pločice (2 ili 4 strane) od prosečne veličine 10 uzoraka (20 ili 40 strana), u % The deviation, in percent, of the average size for each tile (2 or 4 sides) from average size 10 test specimens (20 or 40 sides)	+/- 0,3%	
Debljina (određuje je proizvođač) / Thickness (determined by manufacturer)		
Odstupanje prosečne debljine svake pločice od radne debljine, u % The deviation, in percent, of the average thickness of each tile from the work size thickness	+/- 10%	
Ravnost stranica (vidne stranice) / Straightness of sides (facial sides)		
Najveće odstupanje od ravnosti u odnosu na odgovarajuće radne veličine, u % The maximum deviation from straightness, in percent, related to the corresponding work sizes	+/- 0,3%	
Odstupanje od pravog ugla / Rectangularity		
Najveće odstupanje od pravog ugla u odnosu na odgovarajuće radne veličine, u % The maximum deviation from rectangularity, in percent, related to the corresponding work sizes	+/- 0,5%	
Ravnost površine / Surface flatness		
Najveće odstupanje od ravnosti u % a) centralna zakrivljenost, u odnosu na dijagonalu, izračunatu iz radnih veličina b) ivična zakrivljenost, u odnosu na odgovarajuće radne veličine c) izvitoperenost, u odnosu na dijagonalu, izračunatu iz radnih veličina The maximum deviation from flatness, in percent: a) centre curvature, related to diagonal calculated from the work size b) edge curvature, related to the corresponding work sizes c) warpage, related to diagonal calculated from the work sizes	+ 0,5/-0,3% + 0,5/-0,3% +/-0,5%	
Kvalitet površine / Surface quality		
Najmanje 95% pločica mora biti bez vidljivih oštećenja koja bi pogoršala izgled većeg dela površine pločica A minimum of 95% of the tiles shall be free from visible defects that would impair appearance of a major area of tiles		
FIZIČKA SVOJSTVA / PHYSICAL PROPERTIES		
Upijanje vode / Water absorption		
U masenim % / Percent by mass * kada prosečna vrednost premaši 20%, mora biti naznačeno; pojedinačna najmanja vrednost 9% * when the average exceeds 20%, this shall be indicated; individual minimum value 9%	prosecno* > 10% average* > 10%	SRPS ISO 10545-3
Čvrstoća pri lomu / Breaking strength		
U N / In N: debljina / thickness ≥ 7,5mm debljina / thickness < 7,5mm	ne manje od 600 not less than 600 ne manje od 200 not less than 200	
Modul loma pri savijanju / Moduls of rupture		
U N/mm², ne primenjuje se kod pločica sa čvrstinom pri lomu ≥ 3000N In N/mm², not aplicable to tiles with breaking strenght ≥ 3000N debljina / thickness ≤ 7,5mm debljina / thickness > 7,5mm	najmanje 15 minimum 15 najmanje 12 minimum 12	SRPS ISO 10545-4
Otpornost prema vlasavosti: glazirane pločice Crazing resistance: glazed tiles	zahteva se required	SRPS ISO 10545-11
HEMIJSKA SVOJSTVA / CHEMICAL PROPERTIES		
Otpornost prema stvaranju mrlja Resistance to staining	najmanje klasa 3 minimum class 3	SRPS ISO 10545-14
Otpornost prema hemikalijama Resistance to chemicals		
Otpornost prema malim koncentracijama kiselina i baza Resistance to low concentrations of acids and alkalis	postoji metoda ispitivanja test method available	SRPS ISO 10545-13
Otpornost prema hemikalijama u domaćinstvu i sredstvima za prečišćavanje vode u plivačkim bazenima Resistance to houshold chemicals and swimming pool salts	najmanje GB minimum GB	

SUVO PRESOVANE PODNE KERAMIČKE PLOČICE SA MALIM UPIJANJEM VODE 0,5%<E≤3%, GRUPA B1b, SRPS EN 14411, PRILOG H
 DRY-PRESSED FLOOR CERAMIC TILES WITH LOW WATER ABSORPTION 0,5<E≤3%,GROUP B1b, SRPS EN 14411, ANNEX H

ZAHTEVI, MERE I KVALITET POVRŠINE REQUIREMENTS DIMENSIONS AND SURFACE QUALITY	ZAHTEVANE VREDNOSTI REQUIREMENTS		METODA ISPITIVANJA TESTING METHOD
	190<S 410	S>410	
Dužina (l) i širina (w) Length (l) and width (w)			SRPS ISO 10545-2
Proizvođač određuje radnu veličinu prema sledećem: za nemodularne pločice tako da razlika između radne veličine i nazivne veličine ne bude veća od +/- 2% (najviše +/- 5mm) The manufacturer shall choose the work size as follows: for non-modular tiles so that the difference between the work size and nominal size is not more than +/- 2mm (maximum +/- 5mm)			
Odstupanje prosečne veličine svake pločice (2 ili 4 strane) od radne veličine (W), u % The deviation, in percent, of average size for each tile (2 or 4 sides) from th work size (W)	+/- 0,75%	+/- 0,6%	
Odstupanje prosečne veličin svake pločice (2 ili 4 strane) od prosečne veličine 10 uzoraka (20 ili 40 strana), u % The deviation, in percent, of the average size for each tile (2 or 4 sides) from average size 10 test specimens (20 or 40 sides)	+/- 0,5%	+/- 0,5%	
Debljina (određuje je proizvođač) / Thickness (determined by manufacturer)			
Odstupanje prosečne debljine svake pločice od radne debljine, u % The deviation, in percent, of the average thickness of each tile from the work size thickness	+/- 5%	+/- 5%	
Ravnost stranica (vidne stranice) / Straightness of sides (facial sides)			
Najveće odstupanje od ravnosti u odnosu na odgovarajuće radne veličine, u % The maximum deviation from straightness, in percent, related to the corresponding work sizes	+/- 0,5%	+/- 0,5%	
Odstupanje od pravog ugla / Rectangularity			
Najveće odstupanje od pravog ugla u odnosu na odgovarajuće radne veličine, u % The maximum deviation from rectangulity, in percent, related to the corresponding work sizes	+/- 0,6%	+/- 0,6%	
Ravnost površine / Surface flatness			SRPS ISO 10545-3
Najveće odstupanje od ravnosti u % a) centralna zakrivljenost, u odnosu na dijagonalu, izračunatu iz radnih veličina b) ivična zakrivljenost, u odnosu na odgovarajuće radne veličine c) izvitoperenost, u odnosu na dijagonalu, izračunatu iz radnih veličina The maximum deviation from flatness, in percent:	+/- 0,5%	+/- 0,5%	
a) centre curvature, related to diagonal calculated from the work size	+/- 0,5%	+/- 0,5%	
b) edge curvature, related to the corresponding work sizes	+/-0,5%	+/-0,5%	
c) warpage, related to diagonal calculated from the work sizes			
Kvalitet površine / Surface quality			SRPS ISO 10545-3
Najmanje 95% pločica mora biti bez vidljivih oštećenja koja bi pogoršala izgled većeg dela površine pločica A minimum of 95% of the tiles shall be free from visible defects that would impair appearance of a major area of tiles			
FIZIČKA SVOJSTVA / PHYSICAL PROPERTIES			
Upijanje vode / Water absorption			SRPS ISO 10545-3
U masenim % / Percent by mass *pojedinačno najviše 3,3% / *individual maximum 3,3%	0,5% < E* ≤ 3%		
Čvrstoća pri lomu/Breaking strength			SRPS ISO 10545-4
U N / In N: debljina / thickness ≥ 7,5mm debljina / thickness < 7,5mm	ne manje od 1100 ne manje od 700 not less then 1100 not less then 700		
Modul loma pri savijanju / Moduls of rupture	najmanje 30 pojedinačno najmanje 27 minimum 30 individual minimum 27		
Otpornost prema habanju /Abrasion resistance			SRPS ISO 10545-7
Otpornost površ. glaziranih ploč. prema habanju namenjen za korišćenje na podovima Resistance to surface abrasion of glazed tiles intended for use on floors	zabeležena klasa habanja i broj obrtaja		
Otpornost prema mrazu / Frost resistance	zahteva se / required		SRPS ISO 10545-12
Otpornost prema vlasavosti: glazirane pločice/ Crazing resistance: glazed tiles	zahteva se / required		SRPS ISO 10545-11
HEMIJSKA SVOJSTVA / CHEMICAL PROPERTIES			
Otpornost prema stvaranju mrlja Resistance to straining	najmanje klasa 3 minimum class 3		SRPS ISO 10545-14
Otpornost prema hemikalijama Resistance to chemicals			SRPS ISO 10545-13
Otpornost prema malim koncentracijama kiselina i baza Resistance to low concentrations of acids and alkalis	proizvođač utvrđuje klasu manufacturer to state classificat.		
Otpornost prema hemikalijama u domaćinstvu i sredstvima za prečišćavanje vode u plivačkim bazenima Resistance to houshold chemicals and swimming pool salts	najmanje GB minimum GB		

(pakovanje/packaging)

							
	dimension(mm)	komada/pieces	m2/sqm	kg	kutija/boxes	m2/sqm	kg
 zp/wt	250x500	14	1,75	27	39	68,25	1053
 zp/wt	250x400	18	1,8	26	39	70,2	1014
 pp/wt	330x330	15	1,63	28	40	65,2	1120
 pp/wt	400x400	10	1,6	30	48	76,8	1440

Listele + Singlerice / Decors - u kutiji/in boxes

Ola 119 5x25cm - 40 kom./pieces

Ola 70 5x25cm - 40 kom./pieces

Ola C 5x25cm - 40 kom./pieces

Ola 50 2x40cm - 16 kom./pieces

Ola 80 2x40cm - 16 kom./pieces

Mare B 119 7x40cm - 40 kom./pieces

Mare B 117 7x40cm - 40 kom./pieces

India B 10 8,2x50cm - 26 kom./pieces

Urban B 119 4x50cm - 56 kom./pieces



Polet Keramika doo,
Železnicka 13,
23272 Novi Becej, Srbija

t. +381 023 773 231
f. +381 023 773 035
e-mail: keramika.prodaja@nexe.rs

www.nexe.rs

